

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1005	(predict\$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L2	9	(predict\$4 near2 response near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L3	434	715/841.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L4	214	715/825.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L5	131	"715".clas. ((pre adj render) or (Pre adj fetch\$3)) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L6	1644	715/810.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L7	66	715/812.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L8	147	(possible user interaction events).clm.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L9	1	(client computer interface receive input interact\$3 generate interaction event identify possible current state (pre adj process)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L10	98	(possible (user with interaction) events).clm.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48

L11	1	"5878223".pn.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L12	1	"20040123239".pn.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L13	1	"5727129".pn.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L14	1	"20050086608".pn.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L15	3	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$).did.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L16	1	L15 predict	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L17	23	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L18	9	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L19	2	"US-20050071777-A1".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L20	58	((interface near3 state) (user with interaction) (interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L21	9	L17 L18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L22	25	"715".clas. (pre adj render)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L23	19	"715".clas. (pre adj render) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L24	24	"715".clas. ((interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48

L25	8	L7 L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L26	24	(pre adj cache).clm.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L27	26	(possible (user with interaction) with events).clm.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L28	2	"US-5758087-A".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L29	2	"6085226".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L30	89	("5740430" "5754939" "5758087" "5799150" "5802292" "5806065").PN. OR ("5878223").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2009/02/02 07:48
L31	9	(US-20040148565-\$ or US-20010027439- \$).did. or (US-6154767-\$ or US-6725421- \$ or US-6742033-\$ or US-5878223-\$ or US-5758087-\$ or US-6055569-\$ or US- 6067565-\$ or US-6085226-\$).did.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L32	9	L31 client	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L33	85	((hypertext) with (markup adj language) with known) NOT ((hypertext adj markup adj language) with (((hypertext) with (markup adj language) with known)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L34	9	(XML navigation).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L35	18	(XML flow).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L36	110	(XML) Hierarch\$6 (web adj page) (modif \$3 same website or structure) (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48

L37	131	"715".clas. ((pre adj render) or (Pre adj fetch\$3)) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L38	214	715/825.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L39	49	(XML) Hierarch\$6 (web adj page) website structure (navigation with flow)	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L40	434	715/841.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L41	1005	(predict\$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L42	3	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$).did.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L43	18	(XML flow).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L44	12	(XML with navigation with flow)	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L45	9	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$ or US-6742033-\$ or US-5878223-\$ or US-5758087-\$ or US-6055569-\$ or US-6067565-\$ or US-6085226-\$).did.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L46	9	L45 client	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L47	3050	(XML) Hierarch\$6 (web adj page) website	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L48	12	(XML with navigation with flow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L49	1	(XML) backid	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L50	9342	(XML) Hierarch\$6 (web adj page)	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48

L51	26	(hypertext adj file) with known	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L52	55	(XML) (web adj page) website (modif\$3 same Hierarch\$6 or structure) (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L53	34	(XML) Hierarch\$6 (web adj page) website structure (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L54	89	("5740430" "5754939" "5758087" "5799150" "5802292" "5806065").PN. OR ("5878223").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2009/02/02 07:48
L55	2	"6085226".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L56	2	"US-5758087-A".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L57	26	(possible (user with interaction) with events).clm.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L58	24	(pre adj cache).clm.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L59	147	(possible user interaction events).clm.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L60	66	715/812.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L61	8	L60 L38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L62	24	"715".clas. ((interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L63	19	"715".clas. (pre adj render) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48

L64	25	"715".clas. (pre adj render)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L65	23	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L66	9	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L67	9	L65 L66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L68	2	"US-20050071777-A1".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L69	1	(client computer interface receive input interact\$3 generate interaction event identify possible current state (pre adj process)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L70	58	((interface near3 state) (user with interaction) (interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L71	9	(predict\$4 near2 response near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L72	1	L42 predict	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L73	1	"20050086608".pn.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L74	1	"5727129".pn.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L75	1	"20040123239".pn.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L76	1	"5878223".pn.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L77	98	(possible (user with interaction) events). clm.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48

L78	1644	715/810.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L79	23	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L80	9	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L81	9	(US-20040148565-\$).did. or (US-6154767-\$ or US-6085226-\$ or US-6067565-\$ or US-5878223-\$ or US-6055569-\$ or US-6742033-\$ or US-5758087-\$ or US-6725421-\$).did.	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L82	9	L81 @ad<"20030930"	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L83	8	L81 @ad<"20030930" interface	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L84	264	@ad<"20030930" (interface with state) ((pre) adj (render or fetch))	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L85	1	@ad<"20030930" (interface with state) ((pre) adj (render or fetch)) generate adj code	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L86	13	@ad<"20030930" (interface with state) ((pre) adj (render or fetch or process)) generate adj code	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L87	66	@ad<"20030930" (interface with state) ((pre) adj (render or fetch or process)) GUI	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L88	2	"20050071777"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L89	2	"20050071777".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 07:48
L90	0	@ad<"20030930" (interface) with (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L91	0	@ad<"20030930" (interface) same (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L92	4	(interface) same (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L93	4	(interface) with (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L94	1183	@ad<"20030930" (interface) with (pre) GUI	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L95	428	@ad<"20030930" (interface) with (render) GUI	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48

L96	25	@ad<"20030930" (interface) with (render) GUI predict	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L97	5	@ad<"20030930" (predictive with render) GUI	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L98	5	@ad<"20030930" (predictive with render \$3) GUI	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L99	5	@ad<"20030930" (predictiv\$3 with render\$3) GUI	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L100	106	@ad<"20030930" (predictiv\$3 with render\$3)	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L101	54	@ad<"20030930" (predictiv\$3 with render\$3) interface	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L102	0	@ad<"20030930" (predictiv\$3 with render\$3) with nterface	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L103	2	@ad<"20030930" (predictiv\$3 with render\$3) with interface	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L104	0	@ad<"20030930" (pre adj process) with render\$3 with interface	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L105	39	@ad<"20030930" (pre adj process) with render\$3 interface	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L106	77	@ad<"20030930" (pre adj (render or process)) with render\$3 interface	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L107	17	@ad<"20030930" (pre adj (render or process)) with render\$3 interface html	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L108	11	@ad<"20030930" pre-rendered static html	US-PGPUB; USPAT	AND	ON	2009/02/02 07:48
L109	2	"20020015042".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/02/02 08:05
L110	0	(US-20010027439-\$ or US-20040148565-\$ or US-20050071777-\$).did. or (US-5765154-\$ or US-6154767-\$ or US-6085226-\$ or US-6067565-\$ or US-5878223-\$ or US-6055569-\$ or US-6742033-\$ or US-5758087-\$ or US-6725421-\$).did.	US-PGPUB; USPAT	AND	ON	2009/02/02 08:23
L111	0	(US-20010027439-\$ or US-20040148565-\$ or US-20050071777-\$).did. or (US-5765154-\$ or US-6154767-\$ or US-6085226-\$ or US-6067565-\$ or US-5878223-\$ or US-6055569-\$ or US-6742033-\$ or US-5758087-\$ or US-6725421-\$).did.	US-PGPUB; USPAT	AND	ON	2009/02/02 08:24
S1	851	(predict\$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55

S2	7	(predict\$4 near2 response near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S3	379	715/841.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S4	171	715/825.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S5	104	"715".clas. ((pre adj render) or (Pre adj fetch\$3)) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S6	1348	715/810.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S7	64	715/812.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S8	123	(possible user interaction events).clm.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S9	1	(client computer interface receive input interact\$3 generate interaction event identify possible current state (pre adj process)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S10	83	(possible (user with interaction) events).clm.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S11	1	"5878223".pn.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S12	1	"20040123239".pn.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S13	1	"5727129".pn.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S14	1	"20050086608".pn.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S15	4	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$).did.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55

S16	1	S15 predict	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S17	19	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S18	7	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S19	2	"US-20050071777-A1".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S20	34	((interface near3 state) (user with interaction) (interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S21	7	S17 S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S22	22	"715".clas. (pre adj render)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S23	16	"715".clas. (pre adj render) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S24	17	"715".clas. ((interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S25	8	S7 S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S26	20	(pre adj cache).clm.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S27	22	(possible (user with interaction) with events).clm.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55

S28	2	"US-5758087-A".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S29	2	"6085226".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S30	82	("5740430" "5754939" "5758087" "5799150" "5802292" "5806065").PN. OR ("5878223").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/15 10:55
S31	10	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$ or US-6742033-\$ or US-5878223-\$ or US-5758087-\$ or US-6055569-\$ or US-6067565-\$ or US-6085226-\$).did.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S32	10	S31 client	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S34	72	((hypertext) with (markup adj language) with known) NOT ((hypertext adj markup adj language) with (((hypertext) with (markup adj language) with known)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 11:12
S35	8	(XML navigation).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 12:26
S36	12	(XML flow).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 14:03
S45	105	(XML) Hierarch\$6 (web adj page) (modif \$3 same website or structure) (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2008/01/15 15:23
S47	104	"715".clas. ((pre adj render) or (Pre adj fetch\$3)) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S48	172	715/825.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S49	44	(XML) Hierarch\$6 (web adj page) website structure (navigation with flow)	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09

S50	379	715/841.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S51	853	(predict\$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S52	4	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$).did.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S53	12	(XML flow).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S54	8	(XML with navigation with flow)	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S55	10	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$ or US-6742033-\$ or US-5878223-\$ or US-5758087-\$ or US-6055569-\$ or US-6067565-\$ or US-6085226-\$).did.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S56	10	S55 client	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S57	2355	(XML) Hierarch\$6 (web adj page) website	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S59	8	(XML with navigation with flow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S60	1	(XML) backid	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S61	7470	(XML) Hierarch\$6 (web adj page)	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S62	25	(hypertext adj file) with known	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S63	53	(XML) (web adj page) website (modif\$3 same Hierarch\$6 or structure) (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S64	34	(XML) Hierarch\$6 (web adj page) website structure (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09

S66	82	("5740430" "5754939" "5758087" "5799150" "5802292" "5806065").PN. OR ("5878223").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/17 02:09
S67	2	"6085226".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S68	2	"US-5758087-A".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S69	22	(possible (user with interaction) with events).clm.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S70	20	(pre adj cache).clm.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S71	124	(possible user interaction events).clm.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S72	64	715/812.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S73	8	S72 S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S74	17	"715".clas. ((interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S75	16	"715".clas. (pre adj render) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S76	22	"715".clas. (pre adj render)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S77	19	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S78	7	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09

S79	7	S77 S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S80	2	"US-20050071777-A1".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S81	1	(client computer interface receive input interact\$3 generate interaction event identify possible current state (pre adj process)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S82	34	((interface near3 state) (user with interaction) (interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S83	7	(predict\$4 near2 response near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S84	1	S52 predict	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S85	1	"20050086608".pn.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S86	1	"5727129".pn.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S87	1	"20040123239".pn.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S88	1	"5878223".pn.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S89	84	(possible (user with interaction) events). clm.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S91	1351	715/810.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S92	19	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/17 10:24
S93	7	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/17 10:24
S94	9	(US-20040148565-\$).did. or (US- 6154767-\$ or US-6085226-\$ or US- 6067565-\$ or US-5878223-\$ or US- 6055569-\$ or US-6742033-\$ or US- 5758087-\$ or US-6725421-\$).did.	US-PGPUB; USPAT	AND	ON	2008/01/17 11:04

S95	9	S94 @ad<"20030930"	US-PGPUB; USPAT	AND	ON	2008/01/17 11:04
S96	8	S94 @ad<"20030930" interface	US-PGPUB; USPAT	AND	ON	2008/01/17 11:12
S97	255	@ad<"20030930" (interface with state) ((pre) adj (render or fetch))	US-PGPUB; USPAT	AND	ON	2008/01/17 11:13
S98	1	@ad<"20030930" (interface with state) ((pre) adj (render or fetch)) generate adj code	US-PGPUB; USPAT	AND	ON	2008/01/17 11:14
S99	13	@ad<"20030930" (interface with state) ((pre) adj (render or fetch or process)) generate adj code	US-PGPUB; USPAT	AND	ON	2008/01/17 11:15
S100	60	@ad<"20030930" (interface with state) ((pre) adj (render or fetch or process)) GUI	US-PGPUB; USPAT	AND	ON	2008/01/17 11:15
S101	2	"20050071777"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/08 16:35
S102	2	"20050071777".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 12:09
S103	0	@ad<"20030930" (interface) with (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:49
S104	0	@ad<"20030930" (interface) same (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:49
S105	4	(interface) same (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:49
S106	4	(interface) with (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:50
S107	1164	@ad<"20030930" (interface) with (pre) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:50
S108	414	@ad<"20030930" (interface) with (render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:50
S109	23	@ad<"20030930" (interface) with (render) GUI predict	US-PGPUB; USPAT	AND	ON	2008/09/10 15:51
S110	5	@ad<"20030930" (predictive with render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:58
S111	5	@ad<"20030930" (predictive with render \$3) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:59
S112	5	@ad<"20030930" (predictiv\$3 with render\$3) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:59
S113	106	@ad<"20030930" (predictiv\$3 with render\$3)	US-PGPUB; USPAT	AND	ON	2008/09/10 15:59
S114	54	@ad<"20030930" (predictiv\$3 with render\$3) interface	US-PGPUB; USPAT	AND	ON	2008/09/10 15:59
S115	0	@ad<"20030930" (predictiv\$3 with render\$3) with nterface	US-PGPUB; USPAT	AND	ON	2008/09/10 15:59

S116	2	@ad<"20030930" (predictiv\$3 with render\$3) with interface	US-PGPUB; USPAT	AND	ON	2008/09/10 15:59
S117	0	@ad<"20030930" (pre adj process) with render\$3 with interface	US-PGPUB; USPAT	AND	ON	2008/09/10 16:00
S118	39	@ad<"20030930" (pre adj process) with render\$3 interface	US-PGPUB; USPAT	AND	ON	2008/09/10 16:00
S119	76	@ad<"20030930" (pre adj (render or process)) with render\$3 interface	US-PGPUB; USPAT	AND	ON	2008/09/10 16:02
S120	16	@ad<"20030930" (pre adj (render or process)) with render\$3 interface html	US-PGPUB; USPAT	AND	ON	2008/09/10 16:03
S121	11	@ad<"20030930" pre-rendered static html	US-PGPUB; USPAT	AND	ON	2008/09/10 16:04

2/ 2/ 2009 8:47:39 AM

C:\ Documents and Settings\ stermanini\ My Documents\ EAST\ Workspaces\ 10 Series\ 10_676_846_4.wsp